

# RelyX™ Ultimate

## Adhesive Resin Cement




## Glass ceramic cementation has a new hero!

RelyX™ Ultimate Adhesive Resin Cement makes the adhesive cementation of glass ceramic restorations a whole lot easier by reducing the number of components required, while maximizing bond strength. The combination of RelyX™ Ultimate Cement with Scotchbond™ Universal Adhesive offers:

- Ultimate bond strength
- Few components
- Your choice of either total- or self-etch procedure
- High wear resistance and tooth-like fluorescence



The criteria that matter when placing aesthetic  
CAD/CAM restorations:




<sup>1</sup> Adhesion to feldspathic glass ceramic (e.g. VITA Mark II)

<sup>2</sup> Light cured, adhesion to bovine enamel, after artificial aging, IADR CED 2011 #430

<sup>3</sup> Light cured, adhesion to bovine dentine, after artificial aging, IADR CED 2011 #430

Get all of these benefits with just two components – syringe and bottle.



Although RelyX Ultimate is particularly suited for CAD/CAM restorations, it covers the whole spectrum of indirect indications for final cementation of:

- All-ceramic, composite or metal inlays, onlays, crowns and bridges; 2–3-unit Maryland bridges and 3-unit inlay/onlay bridges\*
- All-ceramic or composite veneers
- All-ceramic, composite, or metal restorations to implant abutments
- Posts and screws

\*Excluded for patients with bruxism or periodontitis.

## Ordering Information

### Item No. Product Information

RelyX™ Ultimate	
<b>56891</b>	<b>RelyX™ Ultimate Introductory Kit (incl. 4 colour shades):</b> 1 bottle Scotchbond™ Universal à 5 ml, 1 etchant syringe à 3 ml, 25 dispensing tips for etchant syringe, 50 mixing wells, 50 microbrushes, 1 syringe cement (A30) à 8.5 g, 1 syringe cement (B0.5) à 8.5 g, 1 syringe cement (A1) à 8.5 g, 1 syringe cement (Translucent) à 8.5 g, 30 mixing tips (regular), 10 mixing tips (wide) + 10 endo tips, 10 mixing tips (wide) + 10 intra-oral tips, Step-by-step Technique Guide, Instructions for Use
<b>56892</b>	<b>RelyX™ Ultimate Trial Kit (Translucent):</b> 1 bottle Scotchbond™ Universal à 1.5 ml, 1 etchant syringe à 3 ml, 25 dispensing tips for etchant syringe, 50 microbrushes, 1 syringe cement (Translucent) à 8.5 g, 10 mixing tips (regular), 5 mixing tips (wide) + 5 intra-oral tips, Step-by-step Technique Guide, Instructions for Use
<b>56894</b>	<b>RelyX™ Ultimate Trial Kit (A1):</b> 1 bottle Scotchbond™ Universal à 1.5 ml, 1 etchant syringe à 3 ml, 25 dispensing tips for etchant syringe, 50 microbrushes, 1 syringe cement (A1) à 8.5 g, 10 mixing tips (regular), 5 mixing tips (wide) + 5 intra-oral tips, Step-by-step Technique Guide, Instructions for Use
Scotchbond™ Universal Adhesive	
<b>41258</b>	<b>Scotchbond™ Universal Adhesive Refill:</b> 5 ml adhesive vial
<b>41263</b>	<b>Scotchbond™ Universal Etchant Etching Gel:</b> Two 3 ml syringes

[www.3MESPE.com](http://www.3MESPE.com)

**3M ESPE**

3M Deutschland GmbH  
Location Seefeld  
3M ESPE · ESPE Platz  
82229 Seefeld · Germany  
info3mespe@mmm.com  
www.3MESPE.com

3M, ESPE, RelyX and Scotchbond are trademarks of 3M Company or 3M Deutschland GmbH.

Used under license in Canada.  
All other trademarks are owned by other companies.

© 3M 2011. All rights reserved.

XX (XX.2011)